






Alcu[®]
SYSTEM

**SUPPORTO BASE TRIPOLARE/QUADRIPOLORE
INTERASSE FASI 80-100-120-140 MM**

*THREE-POLE/FOUR-POLE LOWER BASE MOUNTING DISTANCE
BETWEEN BUSBAR HOLDERS 80-100-120-140 MM*

IST/SBR




COPPIE DI SERRAGGIO TIGHTENING TORQUES

Vite di serraggio Fastening screw	Coppie di serraggio Tightening torque
M6	20 Nm
M8	30 Nm
M10	50 Nm


ISB308CU/C

3 POLI / 3 POLES




ISB310CU/C

3 POLI / 3 POLES




ISB312CU/C

3 POLI / 3 POLES




ISB314CU/C

3 POLI / 3 POLES




ISB406CU/C

4 POLI / 4 POLES




ISB408CU/C

4 POLI / 4 POLES




ISB410CU/C




4 POLI / 4 POLES



ISB414CU/C

4 POLI / 4 POLES





ISB308/C

3 POLI / 3 POLES

ISB310/C

3 POLI / 3 POLES

ISB312/C

3 POLI / 3 POLES

ISB408/C

4 POLI / 4 POLES

ISB410/C

4 POLI / 4 POLES

ISB412/C

4 POLI / 4 POLES

ISB414/C

4 POLI / 4 POLES